Journal of Nuclear Materials 171 (1990) 415–417
North-Holland

AUTHOR INDEX

Agarwala, R.P., see Pande 171 (1990) 408
Ahlf, J., R. Conrad, M. Cundy and H. Scheurer, Irradiation experiments on high temperature gas cooled reactor fuels and graphites at the High Flux Reactor Petten 171 (1990) 31
Amano, H., see Numata 171 (1990) 350
Amano, H., see Numata 171 (1990) 373
Anand, M.S., see Pande 171 (1990) 408
Anderko, K., see Ehrlich 171 (1990) 139

Bacon, D.J., see Grant 171 (1990) 412
Bainbridge, J.E., C.B.A. Forty and D.G. Martin, The grain growth of mixed oxide fuel during irradiation 171 (1990) 230
Biberian, J.P., see Hansali 171 (1990) 395
Bienfait, M., see Hansali 171 (1990) 395
Bodmann, E., see Diehl 171 (1990) 63
Bolt, H. and A. Miyahara, Response of plasma facing components to off-normal heat loads in a next generation nuclear fusion device 171 (1990) 150
Boothby, R.M., Modelling grain boundary cavity growth in irradiated Nimonic PE16 171 (1990) 215
Borgstedt, H.U., see Gnanasekaran 171 (1990) 198
Buchkremer, H.P., see Hecker 171 (1990) 84
Byers, W.A., see Foster 171 (1990) 339

Causey, R.A., see Smith 171 (1990) 158
Chancellor, W., A. Wolfenden and G.M. Ludtka, Temperature dependence of Young's modulus and shear modulus in uranium–2.4 wt% niobium alloy 171 (1990) 389
Conrad, R., see Ahlf 171 (1990) 31
Croessmann, C.D., see Smith 171 (1990) 158
Cundy, M., see Ahlf 171 (1990) 31

De Grave, E., A.D. Stalios and A. Van Alboom, Influence of the heat treatment on the Mössbauer spectrum of a simulated nuclear-waste glass 171 (1990) 189
Derz, H., see Thiele 171 (1990) 94
Derz, H., see Pachur 171 (1990) 128
Diehl, H. and E. Bodmann, Alloy 800 specifications in compliance with component requirements 171 (1990) 63
Dienst, W., see Hofmann 171 (1990) 203
Ding, Z., H. Kleykamp and F. Thümmler, The constitution of the rhodium–tellurium system 171 (1990) 134
Dorner, H., see Schmidt 171 (1990) 120

Ehrlich, K. and K. Anderko, Metallische Werkstoffe als Erste-Wand Materialien für zukünftige Fusionsreaktoren 171 (1990) 139

Fett, T. and D. Munz, Lifetime evaluation of ceramic windows in microwave heating tubes for fusion reactors 171 (1990) 172
Fleck, R.G., see Perovic 171 (1990) 327
Forty, C.B.A., see Bainbridge 171 (1990) 230
Foster, J.P. and W.A. Byers, Measurement of impurity diffusion into the liner of a zirconium-lined Zircaloy-2 tube 171 (1990) 339
Fukada, S., T. Nakahara and N. Mitsuishi, Experimental and computational studies on absorption and desorption of multicomponent hydrogen isotopes from inert gas mixtures in a yttrium particle bed 171 (1990) 399

Ganesan, V., see Gnanasekaran 171 (1990) 198
García, E.A., see Wilhelm 171 (1990) 245
Gnanasekaran, T., V. Ganesan, G. Periaswami, C.K. Mathews and H.U. Borgstedt, Application of an electrochemical hydrogen meter for studying reactions in liquid sodium 171 (1990) 198
Gnirss, G., see Schneider 171 (1990) 71
Graham, L.W., Corrosion of metallic materials in HTR-helium environments 171 (1990) 76
Grant, B., J.M. Harder and D.J. Bacon, Interstitial–vacancy recombination for model bcc transition metals (Letter to the Editors) 171 (1990) 412
Grünling, H., see Schneider 171 (1990) 71

Haag, G., D. Mindermann, G. Wilhelmi, H. Persicke and W. Ulsamer, Development of reactor graphite 171 (1990) 41
Hagerty, D.C., see Krikorian 171 (1990) 237
Hansali, G., J.P. Biberian and M. Bienfait, Ion beam implantation and thermal desorption of deuterium ions in graphite 171 (1990) 395
Harder, J.M., see Grant 171 (1990) 412
Hayes, S.L., J.K. Thomas and K.L. Peddicord, Material property correlations for uranium mononitride. I. Physical properties 171 (1990) 262
Hayes, S.L., J.K. Thomas and K.L. Peddicord, Material property correlations for uranium mononitride. II. Mechanical properties 171 (1990) 271
Hayes, S.L., J.K. Thomas and K.L. Peddi-

cord, Material property correlations for uranium mononitride. III. Transport properties 171 (1990) 289
Hayes, S.L., J.K. Thomas and K.L. Peddicord, Material property correlations for uranium mononitride. IV. Thermodynamic properties 171 (1990) 300
Hecker, R., D. Stöver, H. Jonas and H.P. Buchkremer, Properties of chromia scales on high-temperature alloys used as barriers against hydrogen permeation 171 (1990) 84
Hofmann, P. and W. Dienst, Chemical interactions of beryllium with lithium-based oxides and stainless steel 171 (1990) 203

Jonas, H., see Hecker 171 (1990) 84
Jung, J., see Mittenbühler 171 (1990) 54

Kennedy, C.R. and S.C. Montgomery, Statistics of fracture in two grades of isotropic graphite 171 (1990) 49
Kleykamp, H., see Ding 171 (1990) 134
Kleykamp, H., Post-irradiation examinations and composition of the residues from nitric acid dissolution experiments of high-burnup LWR fuel 171 (1990) 181
Kneringer, G., see Šmid 171 (1990) 165
Kny, E., see Šmid 171 (1990) 165
Krawczynski, S.J., see Pachur 171 (1990) 128
Krikorian, O.H. and D.C. Hagerty, Exchange reactions of plutonium with silicides and estimation of the enthalpy of formation of Pu_5Si_3 171 (1990) 237
Kummerer, K.R. and G. Mühling, Fast reactor fuel development in Germany: irradiation experience 171 (1990) 113

Lefebvre, F. and C. Lemaignan, Analysis with heavy ions of the amorphisation under irradiation of $Zr(Fe,Cr)_2$ precipitates in Zircaloy-4 171 (1990) 223
Lemaignan, C., see Lefebvre 171 (1990) 223
Ludtka, G.M., see Chancellor 171 (1990) 389

Maile, K., D. Thelen and S. Sheng, A new experimental approach to multiaxial creep and creep fatigue 171 (1990) 108
Martin, D.G., see Bainbridge 171 (1990) 230
Mathews, C.K., see Gnanasekaran 171 (1990) 198
Mayuzumi, M. and T. Onchi, Creep deformation of an unirradiated Zircaloy nuclear fuel cladding tube under dry storage conditions 171 (1990) 381
McCoy, H.E. and P.L. Rittenhouse, Elevated temperature mechanical properties of a reactor pressure vessel steel 171 (1990) 103
McGrath, R.T., see Smith 171 (1990) 158
Minami, K., see Numata 171 (1990) 373
Mindermann, D., see Haag 171 (1990) 41
Mitsuishi, N., see Fukada 171 (1990) 399
Mittenbühler, A. and J. Jung, Ceramic materials under high temperature heat transfer conditions 171 (1990) 54
Miyahara, A., see Bolt 171 (1990) 150
Montgomery, S.C., see Kennedy 171 (1990) 49
Mühling, G., see Kummerer 171 (1990) 113
Munz, D., see Fett 171 (1990) 172
Murphy, S.M. and J.M. Perks, Analysis of phosphorus segregation in ion-irradiated nickel 171 (1990) 360
Mutoh, I., see Suzuki 171 (1990) 253

Nabielek, H., see Schenk 171 (1990) 19
Nakahara, T., see Fukada 171 (1990) 399
Numata, S., H. Amano and M. Okamoto, Tritium inventory in portland cement exposed to tritiated water vapor 171 (1990) 350
Numata, S., H. Amano and K. Minami, Diffusion of tritiated water in cement materials 171 (1990) 373

Okamoto, M., see Numata 171 (1990) 350
Onchi, T., see Mayuzumi 171 (1990) 381

Pachur, D., S.J. Krawczynski, H. Derz and G. Pott, Irradiation embrittlement of reactor pressure vessel steel outside the ASTM specification A508 CL2 171 (1990) 128
Pande, B.M., M.S. Anand and R.P. Agarwala, Helium-ion damage in vanadium–2% zirconium alloys (Letter to the Editors) 171 (1990) 408
Peddicord, K.L., see Hayes 171 (1990) 262
Peddicord, K.L., see Hayes 171 (1990) 271
Peddicord, K.L., see Hayes 171 (1990) 289
Peddicord, K.L., see Hayes 171 (1990) 300
Periaswami, G., see Gnanasekaran 171 (1990) 198
Perks, J.M., see Murphy 171 (1990) 360
Perovic, V., G.C. Weatherly and R.G. Fleck, *e*-component dislocations in sub-boundaries in a Zr–2.5 wt% Nb alloy 171 (1990) 327
Persicke, H., see Haag 171 (1990) 41
Pott, G., see Schenk 171 (1990) 19
Pott, G., see Thiele 171 (1990) 94
Pott, G., see Pachur 171 (1990) 128
Pulham, R.J. and M.W. Richards, Chemical reactions of caesium, tellurium and oxygen with fast breeder reactor cladding alloys. Part I – The corrosion by tellurium 171 (1990) 319

Reheis, N., see Šmid 171 (1990) 165
Richards, M.W., see Pulham 171 (1990) 319
Rittenhouse, P.L., see McCoy 171 (1990) 103

Schenk, W., G. Pott and H. Nabielek, Fuel accident performance testing for small HTRs 171 (1990) 19
Scheurer, H., see Ahlf 171 (1990) 31
Schmidt, A., see Theymann 171 (1990) 37
Schmidt, J., H. Dorner and E. Tenckhoff, Manufacture of complex parts by shape welding 171 (1990) 120
Schneider, K., G. Gnirss and H. Grünling, Assessment of safety and availability of dissimilar weldments in the water–steam circuit of HTR plants 171 (1990) 71
Schubert, F., see Thiele 171 (1990) 94
Schulten, R., Keramische Materialien für den Hochtemperaturreaktor 171 (1990) 1
Sheng, S., see Maile 171 (1990) 108
Šmid, I., E. Kny, G. Kneringer and N. Reheis, Influence of cyclic thermal loading on brazed composites for fusion applications 171 (1990) 165
Smith, M.F., R.D. Watson, R.T. McGrath, C.D. Croessmann, J.B. Whitley and R.A. Causey, Concept for a beryllium divertor with in-situ plasma spray surface regeneration 171 (1990) 158
Stalios, A.D., see De Grave 171 (1990) 189
Stöver, D., see Hecker 171 (1990) 84
Suzuki, T. and I. Mutoh, Effects of nitrogen on corrosion of stainless steels in a liquid sodium environment 171 (1990) 253
Tenckhoff, E., see Schmidt 171 (1990) 120
Thelen, D., see Maile 171 (1990) 108
Theymann, W. and A. Schmidt, Graphite as a structural material in HTR plants 171 (1990) 37
Thiele, B.A., F. Schubert, H. Derz and G. Pott, Influence of test temperature on post irradiation, high temperature tensile and creep properties of X 8 CrNiMoNb 16 16, X 10 NiCrAlTi 32 20 (Alloy 800) and NiCr22Fe18Mo (Hastelloy X) 171 (1990) 94
Thomas, J.K., see Hayes 171 (1990) 262
Thomas, J.K., see Hayes 171 (1990) 271
Thomas, J.K., see Hayes 171 (1990) 289
Thomas, J.K., see Hayes 171 (1990) 300
Thümmler, F., see Ding 171 (1990) 134

Ulsamer, W., see Haag 171 (1990) 41

Van Alboom, A., see De Grave 171 (1990) 189

Watson, R.D., see Smith. 171 (1990) 158
Weatherly, G.C., see Perovic 171 (1990) 327
Whitley, J.B., see Smith 171 (1990) 158
Wilhelm, A.N. and E.A. García, Simulation of the dissolution kinetics of ZrO_2 by molten Zircaloy-4 between 2000 and 2400 °C 171 (1990) 245
Wilhelmi, G., see Haag 171 (1990) 41
Wolfenden, A., see Chancellor 171 (1990) 389

Journal of Nuclear Materials 171 (1990) 419–424
North-Holland

SUBJECT INDEX

Aluminium, Aluminium Alloys and Compounds
Lifetime evaluation of ceramic windows in microwave heating tubes for fusion reactors, T. Fett and D. Munz 171 (1990) 172

Analytical Instruments and Methods
Application of an electrochemical hydrogen meter for studying reactions in liquid sodium, T. Gnanasekaran, V. Ganesan, G. Periaswami, C.K. Mathews and H.U. Borgstedt 171 (1990) 198

Amorphous Materials
Analysis with heavy ions of the amorphisation under irradiation of $Zr(Fe,Cr)_2$ precipitates in Zircaloy-4, F. Lefebvre and C. Lemaignan 171 (1990) 223

Beryllium, Beryllium Alloys and Compounds
Chemical interactions of beryllium with lithium-based oxides and stainless steel, P. Hofmann and W. Dienst 171 (1990) 203

Blanket Materials
Chemical interactions of beryllium with lithium-based oxides and stainless steel, P. Hofmann and W. Dienst 171 (1990) 203

Ceramics *("Various", i.e. not listed elsewhere by name)*
Ceramic materials under high temperature heat transfer conditions, A. Mittenbühler and J. Jung 171 (1990) 54
Lifetime evaluation of ceramic windows in microwave heating tubes for fusion reactors, T. Fett and D. Munz 171 (1990) 172
Influence of the heat treatment on the Mössbauer spectrum of a simulated nuclear-waste glass, E. De Grave, A.D. Stalios and A. Van Alboom 171 (1990) 189
Tritium inventory in portland cement exposed to tritiated water vapor, S. Numata, H. Amano and M. Okamoto 171 (1990) 350
Diffusion of tritiated water in cement materials, S. Numata, H. Amano and K. Minami 171 (1990) 373

Cladding Materials
Fast reactor fuel development in Germany: irradiation experience, K.R. Kummerer and G. Mühling 171 (1990) 113
Concept for a beryllium divertor with in-situ plasma spray surface regeneration, M.F. Smith, R.D. Watson, R.T. McGrath, C.D. Croessmann, J.B. Whitley and R.A. Causey 171 (1990) 158
Chemical reactions of caesium, tellurium and oxygen with fast breeder reactor cladding alloys. Part I – The corrosion by tellurium, R.J. Pulham and M.W. Richards 171 (1990) 319
Creep deformation of an unirradiated Zircaloy nuclear fuel cladding tube under dry storage conditions, M. Mayuzumi and T. Onchi 171 (1990) 381

Coatings *(and Coated Particles)*
Response of plasma facing components to off-normal heat loads in a next generation nuclear fusion device, H. Bolt and A. Miyahara 171 (1990) 150

Compatibility and Corrosion
Chemical interactions of beryllium with lithium-based oxides and stainless steel, P. Hofmann and W. Dienst 171 (1990) 203
Effects of nitrogen on corrosion of stainless steels in a liquid sodium environment, T. Suzuki and I. Mutoh 171 (1990) 253
Chemical reactions of caesium, tellurium and oxygen with fast breeder reactor cladding alloys. Part I – The corrosion by tellurium, R.J. Pulham and M.W. Richards 171 (1990) 319

Computer Calculations, including Modelling
Concept for a beryllium divertor with in-situ plasma spray surface regeneration, M.F. Smith, R.D. Watson, R.T. McGrath, C.D. Croessmann, J.B. Whitley and R.A. Causey 171 (1990) 158
Simulation of the dissolution kinetics of ZrO_2 by molten Zircaloy-4 between 2000 and 2400 °C, A.N. Wilhelm and E.A. Garcí 171 (1990) 245

Constitution
The constitution of the rhodium–tellurium system, Z. Ding, H. Kleykamp and F. Thümmler 171 (1990) 134

Creep and Relaxation
Influence of test temperature on post irradiation, high temperature tensile and creep properties of X 8 CrNiMoNb 16 16,

X 10 NiCrAlTi 32 20 (Alloy 800) and NiCr22Fe18Mo (Hastelloy X), B.A. Thiele, F. Schubert, H. Derz and G. Pott 171 (1990) 94
A new experimental approach to multiaxial creep and creep fatigue, K. Maile, D. Thelen and S. Sheng 171 (1990) 108
Material property correlations for uranium mononitride. II. Mechanical properties, S.L. Hayes, J.K. Thomas and K.L. Peddicord 171 (1990) 271
Creep deformation of an unirradiated Zircaloy nuclear fuel cladding tube under dry storage conditions, M. Mayuzumi and T. Onchi 171 (1990) 381

Crystal Growth
Modelling grain boundary cavity growth in irradiated Nimonic PE16, R.M. Boothby 171 (1990) 215

Crystallographic Properties
Influence of the heat treatment on the Mössbauer spectrum of a simulated nuclear-waste glass, E. De Grave, A.D. Stalios and A. Van Alboom 171 (1990) 189

Defects and Defect Structures
c-component dislocations in sub-boundaries in a Zr–2.5 wt% Nb alloy, V. Perovic, G.C. Weatherly and R.G. Fleck 171 (1990) 327
Ion beam implantation and thermal desorption of deuterium ions in graphite, G. Hansali, J.P. Biberian and M. Bienfait 171 (1990) 395
Interstitial–vacancy recombination for model bcc transition metals (Letter to the Editors), B. Grant, J.M. Harder and D.J. Bacon 171 (1990) 412

Diffusion *(incl. Thermodiffusion)*
Fuel accident performance testing for small HTRs, W. Schenk, G. Pott and H. Nabielek 171 (1990) 19
Measurement of impurity diffusion into the liner of a zirconium-lined Zircaloy-2 tube, J.P. Foster and W.A. Byers 171 (1990) 339
Diffusion of tritiated water in cement materials, S. Numata, H. Amano and K. Minami 171 (1990) 373

Fast Reactors
Fast reactor fuel development in Germany: irradiation experience, K.R. Kummerer and G. Mühling 171 (1990) 113

Fatigue
Alloy 800 specifications in compliance with component requirements, H. Diehl and E. Bodmann 171 (1990) 63
Metallische Werkstoffe als Erste-Wand Materialien für zukünftige Fusionsreaktoren, K. Ehrlich and K. Anderko 171 (1990) 139

Fission Products
Keramische Materialien für den Hochtemperaturreaktor, R. Schulten 171 (1990) 1
Fuel accident performance testing for small HTRs, W. Schenk, G. Pott and H. Nabielek 171 (1990) 19

Fracture and Fracture Toughness
Statistics of fracture in two grades of isotropic graphite, C.R. Kennedy and S.C. Montgomery 171 (1990) 49
Alloy 800 specifications in compliance with component requirements, H. Diehl and E. Bodmann 171 (1990) 63
Assessment of safety and availability of dissimilar weldments in the water–steam circuit of HTR plants, K. Schneider, G. Gnirss and H. Grünling 171 (1990) 71
A new experimental approach to multiaxial creep and creep fatigue, K. Maile, D. Thelen and S. Sheng 171 (1990) 108

Fuels and Fuel Elements
Keramische Materialien für den Hochtemperaturreaktor, R. Schulten 171 (1990) 1
Fuel accident performance testing for small HTRs, W. Schenk, G. Pott and H. Nabielek 171 (1990) 19
Irradiation experiments on high temperature gas cooled reactor fuels and graphites at the High Flux Reactor Petten, J. Ahlf, R. Conrad, M. Cundy and H. Scheurer 171 (1990) 31
Fast reactor fuel development in Germany: irradiation experience, K.R. Kummerer and G. Mühling 171 (1990) 113
Lifetime evaluation of ceramic windows in microwave heating tubes for fusion reactors, T. Fett and D. Munz 171 (1990) 172
Post-irradiation examinations and composition of the residues from nitric acid dissolution experiments of high-burnup LWR fuel, H. Kleykamp 171 (1990) 181
Simulation of the dissolution kinetics of ZrO_2 by molten Zircaloy-4 between 2000 and 2400 °C, A.N. Wilhelm and E.A. García 171 (1990) 245

Fusion Reactors
Metallische Werkstoffe als Erste-Wand Materialien für zukünftige Fusionsreaktoren, K. Ehrlich and K. Anderko 171 (1990) 139
Response of plasma facing components to off-normal heat loads in a next generation nuclear fusion device, H. Bolt and A. Miyahara 171 (1990) 150

Concept for a beryllium divertor with in-situ plasma spray surface regeneration, M.F. Smith, R.D. Watson, R.T. McGrath, C.D. Croessmann, J.B. Whitley and R.A. Causey 171 (1990) 158
Influence of cyclic thermal loading on brazed composites for fusion applications, I. Šmid, E. Kny, G. Kneringer and N. Reheis 171 (1990) 165
Chemical interactions of beryllium with lithium-based oxides and stainless steel, P. Hofmann and W. Dienst 171 (1990) 203

Gases *(excl. Tritium)* **in Metals, Alloys and Ceramics**
Effects of nitrogen on corrosion of stainless steels in a liquid sodium environment, T. Suzuki and I. Mutoh 171 (1990) 253

Graphite and Carbon
Keramische Materialien für den Hochtemperaturreaktor, R. Schulten 171 (1990) 1
Irradiation experiments on high temperature gas cooled reactor fuels and graphites at the High Flux Reactor Petten, J. Ahlf, R. Conrad, M. Cundy and H. Scheurer 171 (1990) 31
Graphite as a structural material in HTR plants, W. Theymann and A. Schmidt 171 (1990) 37
Development of reactor graphite, G. Haag, D. Mindermann, G. Wilhelmi, H. Persicke and W. Ulsamer 171 (1990) 41
Statistics of fracture in two grades of isotropic graphite, C.R. Kennedy and S.C. Montgomery 171 (1990) 49
Ceramic materials under high temperature heat transfer conditions, A. Mittenbühler and J. Jung 171 (1990) 54
Response of plasma facing components to off-normal heat loads in a next generation nuclear fusion device, H. Bolt and A. Miyahara 171 (1990) 150
Influence of cyclic thermal loading on brazed composites for fusion applications, I. Šmid, E. Kny, G. Kneringer and N. Reheis 171 (1990) 165
Ion beam implantation and thermal desorption of deuterium ions in graphite, G. Hansali, J.P. Biberian and M. Bienfait 171 (1990) 395

High-Temperature Reactors
Keramische Materialien für den Hochtemperaturreaktor, R. Schulten 171 (1990) 1
Fuel accident performance testing for small HTRs, W. Schenk, G. Pott and H. Nabielek 171 (1990) 19
Irradiation experiments on high temperature gas cooled reactor fuels and graphites at the High Flux Reactor Petten, J. Ahlf, R. Conrad, M. Cundy and H. Scheurer 171 (1990) 31

Hydrogen and Hydrides *(incl. Deuterium and Deuteride)*
Properties of chromia scales on high-temperature alloys used as barriers against hydrogen permeation, R. Hecker, D. Stöver, H. Jonas and H.P. Buchkremer 171 (1990) 84
Application of an electrochemical hydrogen meter for studying reactions in liquid sodium, T. Gnanasekaran, V. Ganesan, G. Periaswami, C.K. Mathews and H.U. Borgstedt 171 (1990) 198
Ion beam implantation and thermal desorption of deuterium ions in graphite, G. Hansali, J.P. Biberian and M. Bienfait 171 (1990) 395
Experimental and computational studies on absorption and desorption of multicomponent hydrogen isotopes from inert gas mixtures in a yttrium particle bed, S. Fukada, T. Nakahara and N. Mitsuishi 171 (1990) 399

Impurities
Measurement of impurity diffusion into the liner of a zirconium-lined Zircaloy-2 tube, J.P. Foster and W.A. Byers 171 (1990) 339

Iron and Iron Alloys *(excl. Steels)*
Properties of chromia scales on high-temperature alloys used as barriers against hydrogen permeation, R. Hecker, D. Stöver, H. Jonas and H.P. Buchkremer 171 (1990) 84

Irradiation Effects *(excl. Swelling and Voids)*
Graphite as a structural material in HTR plants, W. Theymann and A. Schmidt 171 (1990) 37
Development of reactor graphite, G. Haag, D. Mindermann, G. Wilhelmi, H. Persicke and W. Ulsamer 171 (1990) 41
Influence of test temperature on post irradiation, high temperature tensile and creep properties of X 8 CrNiMoNb 16 16, X 10 NiCrAlTi 32 20 (Alloy 800) and NiCr22Fe18Mo (Hastelloy X), B.A. Thiele, F. Schubert, H. Derz and G. Pott 171 (1990) 94
Fast reactor fuel development in Germany: irradiation experience, K.R. Kummerer and G. Mühling 171 (1990) 113
Irradiation embrittlement of reactor pressure vessel steel outside the ASTM specification A508 CL2, D. Pachur, S.J. Krawczynski, H. Derz and G. Pott 171 (1990) 128
Metallische Werkstoffe als Erste-Wand Materialien für zukünftige Fusionsreaktoren, K. Ehrlich and K. Anderko 171 (1990) 139
Concept for a beryllium divertor with in-situ plasma spray surface regeneration, M.F. Smith, R.D. Watson, R.T. McGrath, C.D. Croessmann, J.B. Whitley and R.A. Causey 171 (1990) 158

Modelling grain boundary cavity growth in irradiated Nimonic PE16, R.M. Boothby 171 (1990) 215
Analysis with heavy ions of the amorphisation under irradiation of $Zr(Fe,Cr)_2$ precipitates in Zircaloy-4, F. Lefebvre and C. Lemaignan 171 (1990) 223
Analysis of phosphorus segregation in ion-irradiated nickel, S.M. Murphy and J.M. Perks 171 (1990) 360
Helium-ion damage in vanadium–2% zirconium alloys (Letter to the Editors), B.M. Pande, M.S. Anand and R.P. Agarwala 171 (1990) 408

Kinetics
Application of an electrochemical hydrogen meter for studying reactions in liquid sodium, T. Gnanasekaran, V. Ganesan, G. Periaswami, C.K. Mathews and H.U. Borgstedt 171 (1990) 198
Simulation of the dissolution kinetics of ZrO_2 by molten Zircaloy-4 between 2000 and 2400 °C, A.N. Wilhelm and E.A. García 171 (1990) 245
Experimental and computational studies on absorption and desorption of multicomponent hydrogen isotopes from inert gas mixtures in a yttrium particle bed, S. Fukada, T. Nakahara and N. Mitsuishi 171 (1990) 399

Liquid Metals
Application of an electrochemical hydrogen meter for studying reactions in liquid sodium, T. Gnanasekaran, V. Ganesan, G. Periaswami, C.K. Mathews and H.U. Borgstedt 171 (1990) 198
Effects of nitrogen on corrosion of stainless steels in a liquid sodium environment, T. Suzuki and I. Mutoh 171 (1990) 253

Mechanical Properties *("Various", i.e. not listed elsewhere by name)*
Statistics of fracture in two grades of isotropic graphite, C.R. Kennedy and S.C. Montgomery 171 (1990) 49
Ceramic materials under high temperature heat transfer conditions, A. Mittenbühler and J. Jung 171 (1990) 54
Alloy 800 specifications in compliance with component requirements, H. Diehl and E. Bodmann 171 (1990) 63
Assessment of safety and availability of dissimilar weldments in the water–steam circuit of HTR plants, K. Schneider, G. Gnirss and H. Grünling 171 (1990) 71
Influence of test temperature on post irradiation, high temperature tensile and creep properties of X 8 CrNiMoNb 16 16, X 10 NiCrAlTi 32 20 (Alloy 800) and NiCr22Fe18Mo (Hastelloy X), B.A. Thiele, F. Schubert, H. Derz and G. Pott 171 (1990) 94
Elevated temperature mechanical properties of a reactor pressure vessel steel, H.E. McCoy and P.L. Rittenhouse 171 (1990) 103
A new experimental approach to multiaxial creep and creep fatigue, K. Maile, D. Thelen and S. Sheng 171 (1990) 108
Manufacture of complex parts by shape welding, J. Schmidt, H. Dorner and E. Tenckhoff 171 (1990) 120
Lifetime evaluation of ceramic windows in microwave heating tubes for fusion reactors, T. Fett and D. Munz 171 (1990) 172
Material property correlations for uranium mononitride. II. Mechanical properties, S.L. Hayes, J.K. Thomas and K.L. Peddicord 171 (1990) 271
Temperature dependence of Young's modulus and shear modulus in uranium–2.4 wt% niobium alloy, W. Chancellor, A. Wolfenden and G.M. Ludtka 171 (1990) 389

Microstructure *(incl. Textures)*
Corrosion of metallic materials in HTR-helium environments, L.W. Graham 171 (1990) 76
Manufacture of complex parts by shape welding, J. Schmidt, H. Dorner and E. Tenckhoff 171 (1990) 120

Molybdenum and Molybdenum Alloys
Influence of cyclic thermal loading on brazed composites for fusion applications, I. Šmid, E. Kny, G. Kneringer and N. Reheis 171 (1990) 165

Nickel and Nickel Alloys
Modelling grain boundary cavity growth in irradiated Nimonic PE16, R.M. Boothby 171 (1990) 215
Analysis of phosphorus segregation in ion-irradiated nickel, S.M. Murphy and J.M. Perks 171 (1990) 360

Physical Properties *("Various", i.e. not listed elsewhere by name)*
Influence of the heat treatment on the Mössbauer spectrum of a simulated nuclear-waste glass, E. De Grave, A.D. Stalios and A. Van Alboom 171 (1990) 189
Material property correlations for uranium mononitride. I. Physical properties, S.L. Hayes, J.K. Thomas and K.L. Peddicord 171 (1990) 262
Material property correlations for uranium mononitride. III. Transport properties, S.L. Hayes, J.K. Thomas and K.L. Peddicord 171 (1990) 289

Plutonium, Plutonium Alloys and Compounds
Exchange reactions of plutonium with silicides and estimation of the enthalpy of formation of Pu_5Si_3, O.H. Krikorian and D.C. Hagerty 171 (1990) 237

Pressure Vessels
Elevated temperature mechanical properties of a reactor pressure vessel steel, H.E. McCoy and P.L. Rittenhouse 171 (1990) 103
Manufacture of complex parts by shape welding, J. Schmidt, H. Dorner and E. Tenckhoff 171 (1990) 120
Irradiation embrittlement of reactor pressure vessel steel outside the ASTM specification A508 CL2, D. Pachur, S.J. Krawczynski, H. Derz and G. Pott 171 (1990) 128

Refractory Metals and Alloys *("Various", i.e. not listed elsewhere by name)*
The constitution of the rhodium–tellurium system, Z. Ding, H. Kleykamp and F. Thümmler 171 (1990) 134

Segregation
Analysis of phosphorus segregation in ion-irradiated nickel, S.M. Murphy and J.M. Perks 171 (1990) 360

Silicon Refractory Ceramics
Exchange reactions of plutonium with silicides and estimation of the enthalpy of formation of Pu_5Si_3, O.H. Krikorian and D.C. Hagerty 171 (1990) 237

Steels
Alloy 800 specifications in compliance with component requirements, H. Diehl and E. Bodmann 171 (1990) 63
Assessment of safety and availability of dissimilar weldments in the water–steam circuit of HTR plants, K. Schneider, G. Gnirss and H. Grünling 171 (1990) 71
Influence of test temperature on post irradiation, high temperature tensile and creep properties of X 8 CrNiMoNb 16 16, X 10 NiCrAlTi 32 20 (Alloy 800) and NiCr22Fe18Mo (Hastelloy X), B.A. Thiele, F. Schubert, H. Derz and G. Pott 171 (1990) 94
Elevated temperature mechanical properties of a reactor pressure vessel steel, H.E. McCoy and P.L. Rittenhouse 171 (1990) 103
Manufacture of complex parts by shape welding, J. Schmidt, H. Dorner and E. Tenckhoff 171 (1990) 120
Irradiation embrittlement of reactor pressure vessel steel outside the ASTM specification A508 CL2, D. Pachur, S.J. Krawczynski, H. Derz and G. Pott 171 (1990) 128
Metallische Werkstoffe als Erste-Wand Materialien für zukünftige Fusionsreaktoren, K. Ehrlich and K. Anderko 171 (1990) 139
Chemical interactions of beryllium with lithium-based oxides and stainless steel, P. Hofmann and W. Dienst 171 (1990) 203
Effects of nitrogen on corrosion of stainless steels in a liquid sodium environment, T. Suzuki and I. Mutoh 171 (1990) 253

Structural Materials
Graphite as a structural material in HTR plants, W. Theymann and A. Schmidt 171 (1990) 37
Assessment of safety and availability of dissimilar weldments in the water–steam circuit of HTR plants, K. Schneider, G. Gnirss and H. Grünling 171 (1990) 71
Corrosion of metallic materials in HTR-helium environments, L.W. Graham 171 (1990) 76
A new experimental approach to multiaxial creep and creep fatigue, K. Maile, D. Thelen and S. Sheng 171 (1990) 108
Irradiation embrittlement of reactor pressure vessel steel outside the ASTM specification A508 CL2, D. Pachur, S.J. Krawczynski, H. Derz and G. Pott 171 (1990) 128
Metallische Werkstoffe als Erste-Wand Materialien für zukünftige Fusionsreaktoren, K. Ehrlich and K. Anderko 171 (1990) 139
Response of plasma facing components to off-normal heat loads in a next generation nuclear fusion device, H. Bolt and A. Miyahara 171 (1990) 150
Influence of cyclic thermal loading on brazed composites for fusion applications, I. Šmid, E. Kny, G. Kneringer and N. Reheis 171 (1990) 165
Lifetime evaluation of ceramic windows in microwave heating tubes for fusion reactors, T. Fett and D. Munz 171 (1990) 172
Tritium inventory in portland cement exposed to tritiated water vapor, S. Numata, H. Amano and M. Okamoto 171 (1990) 350

Surface Effects and Characterization Techniques
Response of plasma facing components to off-normal heat loads in a next generation nuclear fusion device, H. Bolt and A. Miyahara 171 (1990) 150
Concept for a beryllium divertor with in-situ plasma spray surface regeneration, M.F. Smith, R.D. Watson, R.T. McGrath, C.D. Croessmann, J.B. Whitley and R.A. Causey 171 (1990) 158
Ion beam implantation and thermal desorp-

tion of deuterium ions in graphite, G. Hansali, J.P. Biberian and M. Bienfait 171 (1990) 395

Thermal Reactors

Post-irradiation examinations and composition of the residues from nitric acid dissolution experiments of high-burnup LWR fuel, H. Kleykamp 171 (1990) 181

Simulation of the dissolution kinetics of ZrO_2 by molten Zircaloy-4 between 2000 and 2400 °C, A.N. Wilhelm and E.A. García 171 (1990) 245

Thermodynamic Properties

Corrosion of metallic materials in HTR-helium environments, L.W. Graham 171 (1990) 76

Exchange reactions of plutonium with silicides and estimation of the enthalpy of formation of Pu_5Si_3, O.H. Krikorian and D.C. Hagerty 171 (1990) 237

Material property correlations for uranium mononitride. IV. Thermodynamic properties, S.L. Hayes, J.K. Thomas and K.L. Peddicord 171 (1990) 300

Thermophysical Properties

Lifetime evaluation of ceramic windows in microwave heating tubes for fusion reactors, T. Fett and D. Munz 171 (1990) 172

Tritium

Properties of chromia scales on high-temperature alloys used as barriers against hydrogen permeation, R. Hecker, D. Stöver, H. Jonas and H.P. Buchkremer 171 (1990) 84

Tritium inventory in portland cement exposed to tritiated water vapor, S. Numata, H. Amano and M. Okamoto 171 (1990) 350

Diffusion of tritiated water in cement materials, S. Numata, H. Amano and K. Minami 171 (1990) 373

Uranium Ceramics

The grain growth of mixed oxide fuel during irradiation, J.E. Bainbridge, C.B.A. Forty and D.G. Martin 171 (1990) 230

Material property correlations for uranium mononitride. I. Physical properties, S.L. Hayes, J.K. Thomas and K.L. Peddicord 171 (1990) 262

Material property correlations for uranium mononitride. II. Mechanical properties, S.L. Hayes, J.K. Thomas and K.L. Peddicord 171 (1990) 271

Material property correlations for uranium mononitride. III. Transport properties, S.L. Hayes, J.K. Thomas and K.L. Peddicord 171 (1990) 289

Material property correlations for uranium mononitride. IV. Thermodynamic properties, S.L. Hayes, J.K. Thomas and K.L. Peddicord 171 (1990) 300

Temperature dependence of Young's modulus and shear modulus in uranium–2.4 wt% niobium alloy, W. Chancellor, A. Wolfenden and G.M. Ludtka 171 (1990) 389

Vanadium and Vanadium Alloys

Helium-ion damage in vanadium–2% zirconium alloys (Letter to the Editors), B.M. Pande, M.S. Anand and R.P. Agarwala 171 (1990) 408

Wastes *(Radioactive)*

Post-irradiation examinations and composition of the residues from nitric acid dissolution experiments of high-burnup LWR fuel, H. Kleykamp 171 (1990) 181

Influence of the heat treatment on the Mössbauer spectrum of a simulated nuclear-waste glass, E. De Grave, A.D. Stalios and A. Van Alboom 171 (1990) 189

Zirconium, Zirconium Alloys and Compounds

Analysis with heavy ions of the amorphisation under irradiation of $Zr(Fe,Cr)_2$ precipitates in Zircaloy-4, F. Lefebvre and C. Lemaignan 171 (1990) 223

Simulation of the dissolution kinetics of ZrO_2 by molten Zircaloy-4 between 2000 and 2400 °C, A.N. Wilhelm and E.A. García 171 (1990) 245

c-component dislocations in sub-boundaries in a Zr–2.5 wt% Nb alloy, V. Perovic, G.C. Weatherly and R.G. Fleck 171 (1990) 327

Measurement of impurity diffusion into the liner of a zirconium-lined Zircaloy-2 tube, J.P. Foster and W.A. Byers 171 (1990) 339

Creep deformation of an unirradiated Zircaloy nuclear fuel cladding tube under dry storage conditions, M. Mayuzumi and T. Onchi 171 (1990) 381